



HB型
GHB型

重荷重用ゴム車輪


重荷重用ゴム車輪 (HB型) (耐油性、耐熱性もあります。)

〃 ジェンゴム車輪 (GHB型) (赤ゴム)

(単位: mm)



HB200x90



品名	車輪外径 D	許容荷重 (kg)	車輪巾 W ₁	ボス巾 W	軸 径 d	ベアリング	リム径 D ₁	ボス径 D ₂	ベアリング 当り a	アーム数	自重 (kg)
HB100x50	100	150	51	55	17	6203	70	55	43	ベタ	1.4
HB100x65	100	195	64	70	17	6203	70	55	58	ベタ	1.7
HB130x50	130	200	51	54	20	6204	95	59	38	ベタ	1.9
HB130x65	130	250	64	70	20	6204	95	59	54	ベタ	2.6
HB150x50	150	225	51	57	25	6205	114	63	41	ベタ	2.2
HB150x65	150	270	64	70	25	6205	114	65	54	ベタ	3.0
HB150x75	150	345	76	82	25	6205	114	65	66	ベタ	3.4
HB150x100	150	520	102	108	30	6206	114	76	90	ベタ	6.0
HB180x50	180	270	51	57	25	6205	140	69	41	ベタ	3.0
HB180x65	180	325	64	70	25	6205	140	69	54	ベタ	4.1
HB180x75	180	350	76	82	25	6205	140	69	66	ベタ	4.6
HB200x50	200	300	51	57	25	6205	165	65	41	4	3.2
HB200x65	200	385	64	70	25	6205	165	66	54	4	4.1
HB200x75	200	450	76	82	25	6205	165	66	66	4	4.7
HB200x90	200	535	89	95	30	6206	165	78	77	4	6.3
HB230x65	230	445	64	76	25	6205	191	65	60	5	4.8
HB230x90	230	615	89	95	30	6206	191	79	77	5	5.1
HB250x65	250	480	64	76	25	6205	210	66	60	5	5.3
HB250x75	250	570	76	89	30	6206	203	81	71	5	7.4
HB250x90	250	670	89	102	30	6206	203	81	84	5	9.3
HB250x100	250	700	102	114	30	6206	203	84	96	5	11.0
HB300x65	300	580	64	82	30	6206	254	76	64	5	7.3
HB300x75	300	685	76	82	30	6206	254	77	64	5	8.5
HB300x90	300	805	89	99	30	6206	254	81	81	5	11.0
HB300x100	300	900	102	114	30	6206	254	81	96	5	13.0
HB300x130	300	1080	125	133	50	6210	254	118	113	ベタ	22.1
HB360x65	360	540	64	76	30	6206	292	78	58	5	9.7
HB360x75	360	650	76	82	30	6206	292	78	64	5	11.3
HB360x90	360	780	89	102	35	6207	280	96	82	5	13.6
HB380x90	380	840	89	102	35	6207	311	100	82	5	16.8
HB410x65	410	640	64	80	30	6206	343	80	62	5	14.1
HB410x75	410	780	76	89	35	6207	343	93	69	5	17.0
HB410x90	410	900	89	127	35	6207x6307	330	103x106	107	5	21.0
HB410x100	410	1000	102	133	35	6207x6307	330	101x109	113	5	23.1
HB410x130	410	1250	125	133	40	6208	330	113	113	5	29.8
HB460x100	460	1250	102	133	40	6208	375	113	113	5	33.1
HB460x130	460	1400	125	133	50	6210	375	123	113	5	44.9
HB500x75	500	900	76	95	35	6207	432	111	75	5	27.6
HB500x100	500	1300	102	133	50	6210	432	116	113	5	43.3
HB500x130	500	1500	127	133	50	6210	432	129	113	5	48.2
HB500x150	500	1800	150	160	50	6210	432	133	140	5	58.3

※180x75につきましては金具付の場合軸径は20φになります。



重荷重用ゴム車輪付自在車

HB-g型


(単位：mm)

重荷重用ゴム車輪付自在車 (HB-g型)

FCDダクタイトル製金具



HB-g250x75



ゴム車輪付自在車 車輪外径x車輪巾	許容荷重 (kg)	金具高さ H	車輪取付 総高 H'	取付ピッチ PxP	偏芯 E	取付 穴径	取付座 厚さt	取付座 寸法A	自重 (kg)
HB-g100x50	150	90	140	85x85	35	11	8.5	115	3.2
HB-g100x65	195	90	140	100x100	35	11	9.5	130	4.5
HB-g130x50	200	115	178	95x95	40	13	8.5	122	3.7
HB-g130x65	250	115	178	100x100	35	11	9.5	130	5.1
HB-g150x50	225	135	210	100x100	40	13	9.5	126	4.9
HB-g150x65	270	135	210	100x100	40	11	9.5	130	6.0
HB-g150x75	345	135	210	110x110	45	13	11.5	142	6.9
HB-g150x100	520	150	225	115x115	60	13	17.0	165	12.9
HB-g180x50	270	140	230	105x105	45	13	9.0	137	5.7
HB-g180x65	325	145	235	110x110	45	13	13.0	147	7.9
HB-g180x75	350	145	235	130x130	50	13	14.5	168	10.5
HB-g200x50	300	155	255	112x112	50	13	10.0	145	6.5
HB-g200x65	385	155	255	110x110	50	13	11.0	142	8.1
HB-g200x75	450	155	255	125x125	50	15	11.5	160	9.2
HB-g200x90	535	155	255	125x125	80	15	11.5	160	11.5
HB-g230x65	445	190	305	136x136	70	14	12.0	175	10.8
HB-g230x90	615	190	305	155x155	55	14	14.0	200	12.0
HB-g250x65	480	190	315	136x136	80	14	12.0	175	11.3
HB-g250x75	570	190	315	136x136	60	14	12.0	175	13.4
HB-g250x90	670	190	315	155x155	70	15	14.0	200	17.3
HB-g250x100	700	205	330	167x167	90	16	16.0	205	22.8
HB-g300x65	580	225	375	155x155	70	15	14.0	195	15.8
HB-g300x75	685	225	375	155x155	70	15	14.0	195	16.6
HB-g300x90	805	225	375	155x155	70	15	14.0	195	19.5
HB-g300x100	900	205	355	167x167	90	16	16.0	205	24.8

(単位：mm)

重荷重用ゴム車輪付自在車 (HB-g型) 鉄製金具




HB-g500x100

ゴム車輪付自在車 車輪外径x車輪巾	許容荷重 (kg)	金具高さ H	車輪取付 総高 H'	取付ピッチ PxP	偏 芯 E	取付穴径	取付座 厚さt	取付座 寸法A
HB-g360x90	800	242	422	210x210	85	16	16.0	250
HB-g410x65	840	280	485	260x260	80	16	16.0	300
HB-g410x75	780	280	485	260x260	80	16	16.0	300
HB-g410x90	900	280	485	260x260	100	16	16.0	300
HB-g410x100	1000	292	497	260x260	100	16	16.0	300
HB-g500x75	900	350	600	270x270	120	22	19.0	330
HB-g500x100	1300	350	600	270x270	120	22	19.0	330
HB-g500x130	1500	350	600	310x310	120	22	19.0	370
HB-g500x150	1800	350	600	310x310	120	22	19.0	370

※360x90以上は鉄板金具製です。

※走行速度は4km/h以下にて走行してください。



ストッパー付、
旋回ロック付も
製作致します



HB-k型

重荷重用ゴム車輪付固定車


(単位：mm)

重荷重用ゴム車輪付 固定車 (HB-k型)

FCDダクタイトル製金具



HB-k250x75




ゴム車輪付固定車 車輪外径x車輪巾	許容荷重 (kg)	金具高さ H	車輪取付 総高 H'	取付ピッチ PxP'	取付穴径	取付座 厚さt	取付座寸法 AxB	自重 (kg)
HB-k100x50	150	90	140	85	11	9.5	113x76	2.2
HB-k100x65	195	90	140	90x40	11	9.5	118x91	2.8
HB-k130x50	200	115	178	128	11	12.0	155x75	2.9
HB-k130x65	250	115	178	105x40	11	9.5	133x93	4.6
HB-k150x50	225	135	210	150	15	12.0	183x75	4.0
HB-k150x65	270	135	210	120x45	13	11.5	153x93	5.5
HB-k150x75	345	135	210	135x73	13	11.5	166x106	6.3
HB-k150x100	520	150	225	140x45	15	17.5	177x145	10.5
HB-k180x50	270	140	230	162	14	12.0	205x82	4.8
HB-k180x65	325	145	235	140x45	13	16.5	180x100	7.3
HB-k180x75	350	145	235	160x50	13	18.5	203x117	8.5
HB-k200x50	300	155	255	165	13	13.0	208x85	5.5
HB-k200x65	385	155	255	163x45	13	11.5	195x95	7.0
HB-k200x75	450	155	255	160x70	13	12.0	192x106	7.9
HB-k200x90	535	155	255	162x85	15	12.0	195x120	10.3
HB-k230x65	445	190	305	158x50	13	12.0	196x103	8.8
HB-k230x90	615	190	305	180x65	15	12.0	217x128	10.5
HB-k250x65	480	190	315	160x50	15	12.0	196x103	9.3
HB-k250x75	570	190	315	160x50	15	12.0	196x116	11.9
HB-k250x90	670	190	315	180x65	15	12.0	217x128	14.3
HB-k250x100	700	205	330	183x90	18	14.0	220x155	16.8
HB-k300x65	580	225	375	173x63	15	12.5	210x107	12.3
HB-k300x75	685	225	375	173x63	15	12.5	210x107	13.1
HB-k300x90	805	225	375	180x63	15	12.5	215x125	16.2
HB-k300x100	900	205	355	183x90	18	14.0	220x155	18.8

重荷重用ゴム車輪付 固定車 (HB-k型) 鉄製金具

(単位：mm)



HB-k500x100



ゴム車輪付固定車 車輪外径x車輪巾	許容荷重 (kg)	金具高さ H	車輪取付 総高 H'	取付ピッチ P1xP2	取付穴径	取付座 厚さt	取付座寸法 AxB
HB-k360x90	800	242	422	230x200	16	16.0	280x250
HB-k410x65	840	280	485	230x180	16	16.0	280x220
HB-k410x75	780	280	485	230x180	16	16.0	280x220
HB-k410x90	900	280	485	230x200	16	16.0	280x250
HB-k410x100	1000	292	497	230x200	16	16.0	280x250
HB-k500x75	900	350	600	260x190	22	19.0	320x250
HB-k500x100	1300	350	600	260x190	22	19.0	320x250
HB-k500x130	1500	350	600	260x210	22	19.0	320x270
HB-k500x150	1800	350	600	260x210	22	19.0	320x270

※360x90以上は鉄板金具製です。
※走行速度は4km/h以下にて走行してください。




MHA-mg型
MHA-mk型

重荷重用マリン仕様 ゴム車輪付自在車・固定車

重荷重用マリン仕様ゴム車輪（MHA型）



MHA250x90




P9 HBシリーズすべてマリン仕様変更可
サイズは表とおりです。(金具付も製作可です)

重荷重用マリン仕様ゴム車輪付自在車（MHA-mg型）

(単位：mm)



MHA-mg250x90



品名	車輪外径 D	許容荷重 (kg)	金具高さ H	車輪取付 総高 H'	取付ピッチ PxP'	偏 芯 E	取付穴径	取付座 厚さ t	取付座 寸法 A
MHA-mg150x75	150	345	135	210	110x110	45	13	11.5	142
MHA-mg150x100	150	520	150	225	115x115	60	13	17.0	165
MHA-mg200x50	200	300	155	255	112x112	50	13	10.0	145
MHA-mg200x65	200	385	155	255	110x110	50	13	11.0	142
MHA-mg200x75	200	450	155	255	125x125	50	15	11.5	160
MHA-mg200x90	200	535	155	255	125x125	80	15	11.5	160
MHA-mg250x65	250	480	190	315	136x136	80	14	12.0	175
MHA-mg250x75	250	570	190	315	136x136	70	14	12.0	175
MHA-mg250x90	250	670	190	315	155x155	70	15	14.0	200
MHA-mg250x100	250	700	205	330	167x167	90	16	16.0	205
MHA-mg300x65	300	580	225	375	155x155	70	15	14.0	195
MHA-mg300x75	300	685	225	375	155x155	70	15	14.0	195
MHA-mg300x90	300	805	225	375	155x155	70	15	14.0	195
MHA-mg300x100	300	900	205	355	167x167	90	16	16.0	205
MHA-mg410x100	410	1000	292	497	260x260	100	16	16.0	300
MHA-mg500x100	500	1300	350	600	270x270	120	22	19.0	330
MHA-mg500x130	500	1500	350	600	310x310	120	22	19.0	370
MHA-mg500x150	500	1800	350	600	310x310	120	22	19.0	370


※410x100以上は鉄板金具製です。

重荷重用マリン仕様ゴム車輪付固定車（MHA-mk型）

(単位：mm)



MHA-mk250x90



品名	車輪外径 D	許容荷重 (kg)	金具高さ H	車輪取付 総高 H'	取付ピッチ PxP'	取付穴径	取付座 厚さ t	取付座寸法 AxB
MHA-mk150x75	150	345	135	210	135x73	13	11.5	166x106
MHA-mk150x100	150	520	150	225	140x45	15	17.5	177x145
MHA-mk200x50	200	300	155	255	165	13	13.0	208x85
MHA-mk200x65	200	385	155	255	163x45	13	11.5	195x95
MHA-mk200x75	200	450	155	255	160x70	13	12.0	192x106
MHA-mk200x90	200	535	155	255	162x85	15	12.0	195x120
MHA-mk250x65	250	480	190	315	160x50	15	12.0	196x103
MHA-mk250x75	250	570	190	315	160x50	15	12.0	196x116
MHA-mk250x90	250	670	190	315	180x65	15	12.0	217x128
MHA-mk250x100	250	700	205	330	183x90	18	14.0	220x155
MHA-mk300x65	300	580	225	375	173x63	15	12.5	210x107
MHA-mk300x75	300	685	225	375	173x63	15	12.5	210x107
MHA-mk300x90	300	805	225	375	180x63	15	12.5	215x125
MHA-mk300x100	300	900	205	355	183x90	18	14.0	220x155
MHA-mk410x100	410	1000	292	497	230x200	16	16.0	280x250
MHA-mk500x100	500	1300	350	600	260x190	22	19.0	320x250
MHA-mk500x130	500	1500	350	600	260x210	22	19.0	320x270
MHA-mk500x150	500	1800	350	600	260x210	22	19.0	320x270

※410x100以上は鉄板金具製です。